



P5 Outdoor Rental LED Display Description

P5 Outdoor LED Module:


- | | |
|-----------------------|----------------------|
| 1). Pitch | P5 |
| 2). Screen Mode | Real Pixel |
| 3). Physical Density | 40000/m ² |
| 4). Led Type | SMD2727 |
| 5). Module Size | 320 x 160mm |
| 6). Module Resolution | 64 x 32 |
| 7). Drive Scan | 1/8 scan |



640x640 LED cabinet



LED箱体一友盟鑫



LED箱体一友盟鑫



- 1). Cabinet Resolution 128 x 128 pixels
- 2). Cabinet Size W640*H640*D75 (mm)
- 3). Empty Cabinet Weight 4.6kg
- 4). Brightness >6000 cd/m2
- 5). Flatness Gap<0.5mm
- 6). Viewing Angle 140/ 140 deg
- 7). Screen Color 68.7 billions
- 8). Sync control by PC with DVI
- 9). Screen Refresh 960-3840HZ
- 11).Cabinet Material Magnesium Alloy
- 12). IP Rate Outdoor IP65
- 13).Cabinet color Black
- 14).Door color Black/Blue/Orange

Items	Parameters
Product name	P5 Outdoor Rental LED Screen
Pixel pitch	5mm
LED lamp	SMD2727
Pixel density	40000 dots/sqm
Module size	320mmx160mm
Module resolution	64 x32=2048 pixels
LED Screen Size (W x H)	16.384sqm
LED display resolution (W*H)	655360 pixels
Brightness	>6000cd
Scan method	1/8 Scan
View angle	140(V)/140(H)
Color	1.07 Billion
Grey Scale	12-14 bits
Refresh rate	960-3840HZ
Highest contrast	>3000: 1
Operating Voltage	Input:AC 220V ± 10%, 50HZ± 5%Output:DC5V
Peak power consumption	900W
Average power consumption	550W
Control system	Synchronous
Operating system	PC/Laptop
working environment	-10~+55
Lifespan	100,000hrs


Cabinet Accessories



- Power flight cables and signal flight cables for cabinet



LED Screen Working Diagram



Flight Case Package

